

MIXER WAGONS



TMR KWIKMIXER[®] FOR BEEF

THMR[®] KWIKCUTTER[®] FOR DAIRY

Over Sixty Years of Experience in Feed Handling!!

HENKE

MIXER WAGONS

Designed to Meet the Needs of Livestock Producers



Fast, thorough, and simple to operate whether using high roughage rations or high grains rations.

Kwikmixer and Kwikcutter Outstanding Features!


- Thoroughly and evenly blends and mixes silage, haylage, ground hay, grain, concentrates, molasses, and other feed stuffs.
- Delivers a complete ration mix in as little as three to six minutes.
- Capacities from 200 to 700 cubic feet.
- The mixer box has a wide discharge opening for fast and easy unloading with no spillage.
- Three-auger and four-auger systems available. Top augers mix and level the ration while the lower auger(s) continually mix and unload the ration.



Chain Discharge Conveyor is available for faster unloading of high moisture and high roughage rations.



Electric Scale System is available with large 2" display for easy reading as ration is prepared.



Hydraulically-driven auger discharge for less maintenance and smoother feed delivery.



Longer tongue and narrower oil bath provide more visibility and a tighter turning radius.

- Hydraulically-driven, low RPM auger for smooth delivery and low maintenance.
- Available as trailer-mounted, truck-mounted, or stationary units.
- Extra heavy-duty bearings with triple-lip seals for long life.
- Heavy-plate auger flighting and shafts are permanently aligned inside steel tubing.
- All augers are easily removed for repair and replacement; bottom augers are flanged.
- Optional electric scale system accurately meters the pounds of each feed additive for a proper ration.



KWIKMIXER®



A Total Mixed Ration (TMR) Mixer for today's fast-paced beef industry!

Henke's TMR Kwikmixer is the standard of the industry. Built with over 60 years of experience, it can give a total mixed ration in as little as three to six minutes.



KWIKCUTTER®

The ultimate Total Hay Mixed Ration (THMR®) Mixer for today's dairy industry!



The Henke Kwikcutter cuts and mixes dairy quality hay — up to 100% capacity of the mixer!

Serve your dairy cattle hay the easy way. Let the Henke Kwikcutter process dry, dairy-quality hay cut to correct length every time. Feed your ration the proven way, with the Henke Kwikcutter.

- Built tough with heavy-duty components designed especially to handle the stresses involved in processing dry hay (17% moisture or less dairy-quality hay).
- Cuts rectangular bales of hay and round bale slices into lengths of 1 1/2" to 5" and thoroughly mixes it with grain and supplements providing a total hay mixed ration.
- The hay cutter bar and the sharpened notches on the auger flighting aid in hay processing.

Fast Efficient Mixing and Feeding!!!



Wide and high delivery door allows easy unloading of mixed ration. Pictured is the 379 Kwikcutter feeding a total hay mixed ration to a dairy herd.

Choose the Mixer or Cutter Wagon with the capacity that is right for your operation.

Kwikmixer Model Number	3-Auger Mixers				4-Auger Mixers	
	240	300	370	440	540	700
Capacity:						
Cubic Feet	240	300	370	440	540	700
Bushels	192	240	296	352	432	560
Mixing Capacity (Based on feed density of 30 lbs. per cubic foot.)						
Weight (varies with ration)	7,000	9,000	11,000	13,200	16,000	20,000
For Herd Size:						
Dairy Cows *	105	130	160	190	225	295
Beef Cattle	265	330	410	490	570	740

Kwikcutter Model Number	3-Auger Cutters				4-Auger Cutters	
	209	309	379	449	549	709
Capacity:						
Cubic Feet	200	306	379	449	540	700
Bushels	160	245	303	359	432	560
Mixing Capacity (Based on feed density of 30 lbs. per cubic foot.):						
Weight (varies with ration)	6,000	9,000	11,000	13,470	16,000	20,000
For Herd Size:						
Dairy Cows *	90	140	170	200	225	295

* Based on two feedings per day.

NOTE: These figures are intended only to serve as a guide in calculating your capacity requirements. Before purchasing any equipment, we recommend that you calculate your needs based on your actual ration and herd figures. Keep in mind any plans for additional head expansion.

(Specifications and design subject to change without notice.)

Henke•Buffalo offers a full line of livestock and farm equipment.

See your dealer for details.




Larger capacity models are available as truck-mount units offering the convenience of mobility in an all-in-one machine.



Trailer-mount units offer the convenience of mobility for feedlot operations.



Stationary units allow permanent installation, such as for a feed processing operation or in dairy.



Henke Machine • Buffalo Equipment

2281 - 16th Avenue, P.O. Box 848
Columbus, Nebraska 68602-0848

Phone: 402-562-0014

Toll-Free: 800-228-1405

Fax: 402-562-5530



Printed in U.S.A.
Lit-MX/CT-06/02